



PRODUCT SHEET

ARTICLE NUMBER: SFT008

DESCRIPTION: Stretch Fit® Belt Installation Tool

INTRODUCTION

SFT008 provides a simple and effective method of installing MV-ribbed Stretch Fit® Belt on 1.0 and 1.2 'EB' series petrol engines fitted in models across Citroën, Peugeot, DS, Opel, Vauxhall, Toyota, Fiat and Jeep model ranges.

Stretch Fit® Belt systems do not employ a traditional sprung tensioner to maintain tension to the belt drive system. Instead, the elastic Stretch Fit® belt is shorter than the span between the pulleys on which it runs. The belt is stretched over the pulleys and the elasticity within the belt provides the tension required to maintain constant drive within the system.

SFT008 is installed on the front of the Micro-V® water pump pulley. The Stretch Fit® Belt is installed into the grooves of the crankshaft pulley before being located on the smooth face of the tool. As the crankshaft is manually rotated in the normal direction of rotation the tool gently guides the belt into to the grooves of the water pump pulley, ensuring correct installation while reducing the risk of damage to the drive belt.

Equivalent OE tool references: 0109-1B, EN-52112-2

TITLE

ITEM	ARTICLE NUMBER	DESCRIPTION	OE REFERENCE
7468-10107	SFT008	STRETCH FIT TOOL #8	0109-1B / EN-52112-2

APPLICATION INFO

1.0 and 1.2 (VTi, THP, PureTech) EB0/EB2 engines covered by Gates Micro-V® Stretch Fit® Belt 3PK576SF.




PRODUCT SHEET

TOOL IMAGE



Application image





PRODUCT SHEET

