

Telefax: +41 (0)52 724 45 45



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### siachrome FINISH

Revision date: 05.12.2017 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

siachrome FINISH

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Automotive care products

### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Sia Abrasives Industries AG
Street: Mühlwiesenstrasse 20
Place: CH-8501 Frauenfeld/Schweiz

Telephone: +41 (0)52 724 41 11

e-mail: msds.ch@sia-abrasives.com
Internet: www.sia-abrasives.com

**Supplier** 

Company name: Sia Abrasives Industries AG

Street: 5 Mollem 580

Place: BE-1730 Mollem (Belgium)

Telephone: +32 (2) 454 00 20 Telefax: + 32 (2) 454 00 21

e-mail: msds.ch@sia-abrasives.com
Internet: www.sia-abrasives.com

1.4. Emergency telephone GIZ Nord +49 (0)551 19240

number:

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

### **Precautionary statements**

P202 Do not handle until all safety precautions have been read and understood.

## Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

#### siachrome FINISH

Revision date: 05.12.2017 Page 2 of 9

#### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according to Regulation	on (EC) No. 1272/2008 [CLP]	,			
8042-47-5	white mineral oil ( petroleum )					
	232-455-8		01-2119487078-27			
	Asp. Tox. 1; H304					
	aliphatic hydrocarbons, C11-C13, isoalkanes, (<0,1 % Benzene)					
	920-901-0		01-2119456810-40			
	Asp. Tox. 1; H304 EUH066					

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

# General information

No special measures are necessary. When in doubt or if symptoms are observed, get medical advice.

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Foam. Dry extinguishing powder. Carbon dioxide (CO2). Water spray jet. Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

No special measures are necessary.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**





according to Regulation (EC) No 1907/2006

#### siachrome FINISH

Revision date: 05.12.2017 Page 3 of 9

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary. Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

### Advice on protection against fire and explosion

No special fire protection measures are necessary. Only use the material in places where open light, fire and other flammable sources can be kept away.

### Further information on handling

Take off contaminated clothing. Wash hands before breaks and after work. When using do not smoke. When using do not eat or drink. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed.

### Advice on storage compatibility

Do not store together with: Oxidising agent. Strong acid. Strong alkali.

# Further information on storage conditions

Recommended storage temperature: 15-25°C

## 7.3. Specific end use(s)

Automotive care products

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1344-28-1	Aluminium oxides, respirable dust	-	4		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL



according to Regulation (EC) No 1907/2006

### siachrome FINISH

Revision date: 05.12.2017 Page 4 of 9

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
8042-47-5	white mineral oil ( petroleum )			
Consumer DNE	EL, long-term	inhalation	systemic	160 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	220 mg/kg bw/day
1344-28-1	aluminium oxide			
Worker DNEL,	long-term	inhalation	systemic	15,63 mg/m³
Worker DNEL,	long-term	inhalation	local	15,63 mg/m³
Consumer DNE	EL, long-term	oral	systemic	6,58 mg/kg bw/day
56-81-5	glycerol			
Consumer DNE	EL, long-term	oral	systemic	229 mg/kg bw/day
Worker DNEL,	long-term	inhalation	local	56 mg/m³
Consumer DNE	EL, long-term	inhalation	local	33 mg/m³

#### **PNEC values**

CAS No	Substance				
Environmental compartment Value					
1344-28-1 aluminium oxide					
Freshwater	Freshwater				
56-81-5	glycerol				
Freshwater 0					
Marine water					
Freshwater sediment		3,3 mg/kg			
Marine sedime	0,33 mg/kg				
Soil					

### 8.2. Exposure controls



### Appropriate engineering controls

Use only in well-ventilated areas.

## Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not smoke. When using do not eat or drink. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray.

## Eye/face protection

Wear eye protection/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

Recommended glove articles: HyFlex® Foam (EN 420, EN 388 (3131)).



according to Regulation (EC) No 1907/2006

#### siachrome FINISH

Revision date: 05.12.2017 Page 5 of 9

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### **Environmental exposure controls**

No special environmental measures are necessary. Do not allow uncontrolled discharge of product into the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: grey

Odour: characteristic

pH-Value (at 20 °C):

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

100 °C

Flash point:

>61 °C

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: 0,6 vol. %
Upper explosion limits: 7 vol. %
Ignition temperature: >200 °C

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure: 0,4 hPa

(at 20 °C)

Density (at 20 °C): 1 g/cm³
Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient: not determined
Viscosity / dynamic: 15000-20000 mPa·s

(at 20 °C)

Evaporation rate: not determined Solvent content: 25,80 %

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**



according to Regulation (EC) No 1907/2006

#### siachrome FINISH

Revision date: 05.12.2017 Page 6 of 9

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Only use the material in places where open light, fire and other flammable sources can be kept away.

#### 10.5. Incompatible materials

Oxidising agent. Strong acid. Strong alkali.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

## Toxicocinetics, metabolism and distribution

No information available.

### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
8042-47-5	white mineral oil ( petroleum )							
	oral	LD50 mg/kg	>5000	Rat	ECHA			
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA			
	inhalative (4 h) aerosol	LC50 mg/l	>5,09	Rat	ECHA			
	aliphatic hydrocarbons, C	11-C13, isoa	lkanes, (<0,	1 % Benzene)				
	oral	LD50 mg/kg	5000	Rat	ECHA	OECD 401		
	dermal	LD50 mg/kg	5000	Rat	ECHA	OECD 402		
	inhalative (4 h) vapour	LC50	2500 mg/l	Rat	ECHA	OECD 403		

# Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

#### siachrome FINISH

Revision date: 05.12.2017 Page 7 of 9

## Specific effects in experiment on an animal

No information available.

#### Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
8042-47-5	white mineral oil ( petroleum )								
	Acute fish toxicity	LC50 mg/l	>1000	96 h	Leuciscus idus (golden orfe)	ECHA			
	Acute crustacea toxicity	EC50 mg/l	>100		Daphnia magna (Big water flea)	ECHA			
	Algea toxicity	NOEC mg/l	>=100	72 d	Pseudokirchneriella subcapitata	ECHA			
	aliphatic hydrocarbons, C11-C13, isoalkanes, (<0,1 % Benzene)								
	Acute fish toxicity LC50 >1000 96 h Oncorhynchus mykiss ECHA (Rainbow trout)								
	Acute algae toxicity	ErC50 mg/l	>1000	72 h	Pseudokirchneriella subcapitata	ECHA			
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna (Big water flea)	ECHA			
	Algea toxicity	NOEC mg/l	1000	3 d	Pseudokirchneriella subcapitata				

# 12.2. Persistence and degradability

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

			,					
CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
8042-47-5	white mineral oil ( petroleum )							
	OECD 301F 31 % 28 ECHA							
	Not readily biodegradable (according to OECD criteria)							
	aliphatic hydrocarbons, C11-C13, isoalkanes, (<0,1 % Benzene)							
	OECD 301 F	31,3 %	28	ECHA				
	Evidence for inherent biodegradability.							

### 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
8042-47-5	white mineral oil ( petroleum )	>4

# 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

## 12.6. Other adverse effects

No information available.



according to Regulation (EC) No 1907/2006

#### siachrome FINISH

Revision date: 05.12.2017 Page 8 of 9

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

## 14.6. Special precautions for user

No special measures are necessary.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulatory information**

2010/75/EU (VOC): 12,4 % (124 g/l) 2004/42/EC (VOC): 12,405 % (124,045 g/l)

**Additional information** 



Sia Abrasives Industries AG

according to Regulation (EC) No 1907/2006

#### siachrome FINISH

Revision date: 05.12.2017 Page 9 of 9

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH210 Safety data sheet available on request.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)