according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Apr 2024 Print date: 18 Apr 2024

Version: 1



# **REPSTAR FS WIV-Combi 5W-30**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

# REPSTAR FS WIV-Combi 5W-30

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Lubricant

# 1.3. Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor):

#### WM SE

REPSTAR

Pagenstecherstr. 121 49090 Osnabrück

Germany

**Telephone:** +49 (0)541 9989 - 0 **Telefax:** +49 (0)541 9989 - 14015

E-mail: info@wm.de Website: www.wm.de

# 1.4. Emergency telephone number

No data available

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: none

Supplemental hazard information: none

Precautionary statements: none

#### 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-54-7 EC No.: 265-157-1 REACH No.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified Asp. Tox. 1 (H304)  ❖ Danger	28 - ≤ 60 weight-%
CAS No.: 148520-84-7 EC No.: 800-941-4	Benzene, mono-C10-13-alkyl derivatives, fractionation bottoms, heavy ends, sulfonated, calcium salts Skin Sens. 1B (H317)  ↑ Warning Specific concentration limit (SCL) Skin Sens. 1B; H317: 10% ≤ C < 100%	0 - < 0.23 weight-%

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Apr 2024 Print date: 18 Apr 2024

Version: 1 Page 2/11



# **REPSTAR FS WIV-Combi 5W-30**

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 70024-69-0 EC No.: 274-263-7 REACH No.: 01-2119492616-28	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts Skin Sens. 1B (H317)	0 - < 0.23 weight-%
EC No.: 701-251-5 REACH No.: 01-2119524004-56		0 - < 0.23 weight-%

Full text of H- and EUH-phrases: see section 16.

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information:**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. Consult a doctor immediately.

#### In case of skin contact:

Consult a doctor immediately.

#### After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### Following ingestion:

Rinse mouth thoroughly with water. Consult a doctor immediately. Rinse mouth. Get medical advice/ attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

#### Self-protection of the first aider:

First aider: Pay attention to self-protection!

# 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media:

Use water spray jet to protect personnel and to cool endangered containers. Water spray jet alcohol resistant foam Extinguishing powder Carbon dioxide (CO2)

#### Unsuitable extinguishing media:

Full water jet

# 5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point Combustible

# Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx),

During heating or in case of fire, toxic gases is possible. In case of fire: Gases/vapours, toxic

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing. Wear a self-contained breathing apparatus and chemical protective clothing.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Apr 2024 Print date: 18 Apr 2024

Version: 1 Page 3/11



# **REPSTAR FS WIV-Combi 5W-30**

#### 5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

#### **Personal precautions:**

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Avoid breathing dust/fume/gas/mist/vapours/spray. Remove persons to safety.

#### **Protective equipment:**

Wear protective gloves/protective clothing/eye protection/face protection.

#### **Emergency procedures:**

Remove persons to safety.

# **6.1.2.** For emergency responders

#### Personal protection equipment:

Use personal protection equipment. Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

#### For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information:

Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

# 6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### **Protective measures**

#### Advices on safe handling:

Personal protection equipment: see section 8 When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination. Wear personal protection equipment (refer to section 8).

#### Fire prevent measures:

No special fire protection measures are necessary. Take precautionary measures against static discharge. Keep away from sources of ignition - No smoking.

#### **Environmental precautions:**

See section 8.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Apr 2024 Print date: 18 Apr 2024

Version: 1



# **REPSTAR FS WIV-Combi 5W-30**

#### Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

# 7.2. Conditions for safe storage, including any incompatibilities

# Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

# Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product. Keep/Store only in original container.

### Hints on storage assembly:

not required

**Storage class (TRGS 510, Germany):** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

#### 7.3. Specific end use(s)

#### **Recommendation:**

Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

No data available

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
zinc bis[O-(2-ethylhexyl)] bis[O-(iso-butyl)] bis(dithiophosphate) CAS No.: 26566-95-0 EC No.: 247-810-2	6.6 mg/m³	① DNEL worker ② Long-term – inhalation, systemic effects
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	11.75 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	3.33 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Isomer mixture of C7-9-alkyl-3- (3,5-di-trans-butyl-4-hydroxyphenyl) propionate CAS No.: 125643-61-0 EC No.: 406-040-9	2.33 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	4.37 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	1.09 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term – inhalation, systemic effects

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Apr 2024 Print date: 18 Apr 2024

 $\textbf{Version:}\ 1$ Page 5/11



REPSTAR FS WIV-Combi	5W-30	
Substance name	DNEL value	① DNEL type ② Exposure route
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.62 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.31 mg/kg bw/day	DNEL Consumer     Long-term - dermal, systemic effects
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.31 mg/kg bw/day	DNEL Consumer     Long-term - oral, systemic effects
zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) CAS No.: 4259-15-8 EC No.: 224-235-5	6.6 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
Substance name	PNEC Value	① PNEC type
Distillates (petroleum), solvent- refined heavy paraffinic CAS No.: 64741-88-4 EC No.: 265-090-8	9.33 mg/kg	① PNEC secondary poisoning
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 FC No.: 274-263-7	1 mg/L	① PNEC aquatic, freshwater

refined heavy paraffinic CAS No.: 64741-88-4 EC No.: 265-090-8		
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	1 mg/L	① PNEC aquatic, freshwater
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	1 mg/L	① PNEC aquatic, marine water
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	1,000 mg/L	① PNEC sewage treatment plant
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	16.667 mg/kg bw/day	① PNEC secondary poisoning
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	10 mg/L	① PNEC aquatic, intermittent release
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.0338 mg/L	① PNEC aquatic, freshwater
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.0038 mg/L	① PNEC aquatic, marine water
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	10 mg/L	① PNEC sewage treatment plant
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.446 mg/kg	① PNEC sediment, freshwater

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Apr 2024 Print date: 18 Apr 2024

Version: 1 Page 6/11



# **REPSTAR FS WIV-Combi 5W-30**

Substance name	PNEC Value	① PNEC type
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.0446 mg/kg	① PNEC sediment, marine water
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	2.59 mg/kg	① PNEC soil
Distillates (petroleum), solvent- dewaxed heavy paraffinic CAS No.: 64742-65-0 EC No.: 265-169-7	9.33 mg/kg	① PNEC secondary poisoning

#### 8.2. Exposure controls

# **8.2.1.** Appropriate engineering controls

See section 7. No additional measures necessary.

#### 8.2.2. Personal protection equipment

#### **Eve/face protection:**

During transfer: Eye glasses with side protection

Wear eye/face protection. EN 166

#### Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Thickness of the glove material: ≥ 0,4 mm

Breakthrough time: 480 min

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

#### Respiratory protection:

Usually no personal respirative protection necessary. A

#### 8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

#### 8.3. Additional information

Mineral oil mist limits:

OSHA PEL - value 5 mg / m³, ACGIH STEL - value of 10 mg / m³

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state: Liquid Colour: tawny

**Odour:** not determined

#### Safety relevant basis data

Jaicty Icicvant Basi	arcty relevant basis data		
Parameter	Value	at °C	① Method ② Remark
рН	No data available	20 °C	
Melting point	No data available		
Freezing point	-42 °C		

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Apr 2024 Print date: 18 Apr 2024

Version: 1



# **REPSTAR FS WIV-Combi 5W-30**

Parameter	Value	at °C	① Method
			② Remark
Initial boiling point and boiling range	No data available		
Flash point	242 °C		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	847 kg/m³	15 °C	
Bulk density	not applicable		
Water solubility	No data available		
Dynamic viscosity	No data available		
Kinematic viscosity	72 mm²/s	40 °C	

#### 9.2. Other information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No known hazardous reactions. Combustible

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

#### 10.5. Incompatible materials

Materials to avoid: Acid, Oxidising agent, Reducing agent

#### 10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Gases/vapours, toxic

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified** CAS No.: 64742-54-7 EC No.: 265-157-1

LD<sub>50</sub> oral: 5,000 mg/kg (Rat) OECD 401

LD<sub>50</sub> dermal: 5,000 mg/kg (Rabbit) OECD 402

LC<sub>50</sub> Acute inhalation toxicity (dust/mist): 5.53 mg/L 4 h (Rat) OECD 403

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7

**LD<sub>50</sub> oral:** >5,000 mg/kg (Rat)

LD<sub>50</sub> dermal: >2,000 mg/kg (Rabbit)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

# Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Apr 2024 Print date: 18 Apr 2024

Version: 1 Page 8/11



# **REPSTAR FS WIV-Combi 5W-30**

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### **STOT-single exposure:**

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### **Aspiration hazard:**

Based on available data, the classification criteria are not met.

#### **Additional information:**

No data available

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties:**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

**Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified** CAS No.: 64742-54-7

EC No.: 265-157-1

LC<sub>50</sub>: 100 mg/L 4 d (fish)

LC<sub>50</sub>: 10,000 mg/L 4 d (crustaceans)

**EC<sub>50</sub>:** 10,000 mg/L 2 d (crustaceans)

**NOEC:** 100 mg/L 4 d (fish)

**NOEC:** 100 mg/L 3 d (Algae/water plant)

**NOEC:** ≥100 mg/L 3 d (Algae/water plant, Algen)

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7

**LC<sub>50</sub>:** >1,000 mg/L 4 d (fish)

 $EC_{50}$ : >1,000 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))

ErC<sub>50</sub>: >1,000 mg/L 3 d (Algae/water plant)

#### 12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7

Log Kow: 22.12

# 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7

EC No.: 265-157-1

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

mm en / DE

GeSi.de

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Apr 2024 Print date: 18 Apr 2024

**Version:** 1 Page 9/11



# **REPSTAR FS WIV-Combi 5W-30**

Benzene, mono-C10-13-alkyl derivatives, fractionation bottoms, heavy ends, sulfonated, calcium salts

CAS No.: 148520-84-7 EC No.: 800-941-4

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

**Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts** CAS No.: 70024-69-0 EC No.: 274-263-7 **Results of PBT and vPvB assessment:** This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased EC No.: 701-251-5

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

# Waste treatment options

#### **Appropriate disposal / Product:**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

#### Appropriate disposal / Package:

Non-contaminated packages may be recycled.

#### 13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)		
14.1. UN number or	L4.1. UN number or ID number				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.		
14.2. UN proper ship	ping name				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.		
14.3. Transport haza	rd class(es)				
not relevant	not relevant	not relevant	not relevant		
14.4. Packing group					
not relevant	not relevant	not relevant	not relevant		
14.5. Environmental	hazards				
not relevant	not relevant	not relevant	not relevant		
14.6. Special precau	tions for user				
not relevant	not relevant	not relevant	not relevant		

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Apr 2024 Print date: 18 Apr 2024

Version: 1 Page 10/11



# **REPSTAR FS WIV-Combi 5W-30**

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

# Other regulations (EU):

This product is not assigned to a hazard category.

Safety data sheet available for professional user on request.

# 15.1.2. National regulations

# [DE] National regulations

#### Störfallverordnung (12. BlmschV)

#### for substances contained in the product:

This product is not assigned to a hazard category.

#### Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

#### Remark:

To follow: 5.2.5 Water hazard class

#### WGK:

2 - obviously hazardous to water

#### Source:

Self-classification (mixture; calculation rule).

#### Technische Regeln für Gefahrstoffe

**TRGS 510** 

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

#### Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868

Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

# Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltölV)

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

#### 16.1. Indication of changes

No data available

#### 16.2. Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

European Agreement concerning the International Carriage of Dangerous Goods by Inland ADN

Waterways

**ADR** European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS Chemical Abstracts Service

Classification, Labelling and Packaging CLP

**DNEL** derived no-effect level

Effective Concentration 50%  $EC_{50}$ 

**ICAO** International Civil Aviation Organization **IMDG** International Maritime Dangerous Goods

IMO International Maritime Organization

KG body weight

Lethal (fatal) Concentration 50%  $LC_{50}$ 

 $LD_{50}$ Lethal (fatal) Dose 50%

**NFPA** National Fire Protection Association **NOEC** No Observed Effect Concentration

**OECD** Organisation for Economic Cooperation and Development

**OSHA** Occupational Safety & Health Administration

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 18 Apr 2024 Print date: 18 Apr 2024

Version: 1 Page 11/11



# **REPSTAR FS WIV-Combi 5W-30**

PBT persistent and bioaccumulative and toxic

PEL Permissible Exposure Limit

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation and Authorization of Chemicals RID Dangerous goods regulations for transport by rail

SCL Specific concentration limit STEL Short-term Exposure Limit

TRGS Technische Regeln für Gefahrstoffe

UN United Nations

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

# 16.3. Key literature references and sources for data

EC 1907/2006 - REACH Regulation

 $1272/2008\ EC$  - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substances database and International limit values for chemical substances

substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

# 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

# 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements		
H304	May be fatal if swallowed and enters airways.	
H317	May cause an allergic skin reaction.	
H360	May damage fertility or the unborn child.	
H413	May cause long lasting harmful effects to aquatic life.	

#### 16.6. Training advice

No data available

#### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.